

SPX328 EVO

LITHIUM BATTERY



Lifting capacity

2800 kg



Max tip height

13,0 m



Dimensions (l x w x h)

2990 x 740 x 1600 mm



Powered by

Lithium battery



Weight

2400 kg



EN [m - kg]



FEATURES



REVOLUTIONARY TOUCH EXPERIENCE

- 10" IP66 heavy duty touch display
- Live load-chart and stability area
- Video tutorials & assistant onboard
- Self-diagnostics & troubleshooting

LITHIUM BATTERY POWERED

- Indoor operation, emission free
- Maintenance free
- Runtime over 1 workday
- On board 110/230V fast charger: 0-80% in 3 h (110V: 4:30 h)
- Adjustable charging current
- Work while charging



ENDLESS CRANE CONFIGURATIONS

Hook

- Unique drop-down design, fast hook-winch switch

Winch

- Two options: 700kg-60 m / 600kg-135 m
- 1 / 2 / 4 falls
- Pulley block recovery

Tools: Plug&Play connection



PICK & CARRY

- Up to 350 kg lifting capacity



ACCURATE LOAD HANDLING

- Dynamic load sway control
- Automatic speed adjustment to ensure smooth and precise maneuvers
- Automatic movement limitation to maximise safety
- Components engineered to maximise stiffness and load stability



SAFETY SYSTEMS

- Full LMI system
- Anti crash system
- Feedback on display



J-LINK POWERED BY TRACKUNIT*

- Remote fleet monitoring and diagnostics
- Built-in or retrofit on existing units



*Optional



EVO

Higher lifting capacity in reduced stability

- The best lifting capacity/footprint ratio
- Lifting capacity in any stability condition

Variable-speed Motor Management


- +25% runtime
- +20% speed

SINGLE DOORWAY

- Precise and easy to drive
- Non-marking white tracks for indoor*




SINGLE DOORWAY (800)



DIMENSIONS (mm)

STABILITY AREA (mm)




THE SMALLEST FOOTPRINT

- Independent outriggers configuration
- 3 outrigger set-ups
- Self-levelling




LOAD CHARTS

Main Boom



Mechanical Jib



TOOLS AVAILABLE

MECHANICAL JIB

WLL 600 kg



ELECTRIC JIB

WLL 500 kg



SEARCHER HOOK

WLL 1000 kg



GLASS MANIPULATOR

WLL 800 kg - JVM800R



SPX328 EVO
LITHIUM BATTERY

Jekko s.r.l. • info@jekko.it • www.jekko-cranes.com

Specifications are subject to change without notice.

All data provided is for reference purposes only and is not legally binding.